Google scholar    | generate web service legacy business system |  Search

**Scholar**  ☒ New!  | Articles and patents  ▾ |  | anytime  ▾ |  | include citations  ▾ | Results **1** - **10** of al

### Factors affecting the adoption and diffusion of XML and **Web services** standards for E-**busines systems**
M Chen - International Journal of Human-Computer Studies, 2003 - Elsevier
... Since many development tools can automatically **generate** the necessary client-side and server ...
**Web services** have been used to wrap a **legacy system's** functions to support application to ... **Web services** have also been promoted as technology that could replace platform specific ...
Cited by 58 - Related articles - BL Direct - All 8 versions

### [CITATION] **Service**-oriented computing: Concepts, characteristics and directions
MP Papazoglou - Web Information Systems Engineering, 2003. WISE ..., 2003
Cited by 643 - Related articles - All 15 versions

### [BOOK] Modernizing **legacy systems**: Software technologies, engineering process and busine practices
D Plakosh, GA Lewis - 2003 - portal.acm.org
... the project used as well as others available for modernization efforts -- Java/J2EE, **Web Services**, wrapper code ... In all, 'Modernizing **Legacy Systems**' is a readable, coherent, illuminating, and surprisingly broad treatment of a vital ... Sub-Categories: **Business** > Information **Systems**. ...
Cited by 116 - Related articles - Library Search - All 4 versions

### [CITATION] How BPEL and SOA are changing **Web services** development
J Pasley - IEEE Internet Computing, 2005
Cited by 79 - Related articles - All 7 versions

### [CITATION] Semantic **business** process management: A vision towards using semantic **web services** for **business** process management
M Hepp, F Leymann, J Domingue, A Wahler, D Fensel - ... Conference on e-Business ..., 2005
Cited by 164 - Related articles - All 18 versions

### Don't go with the flow: **Web services** composition standards exposed
WMP Van der Aalst - IEEE intelligent systems, 2003 - doi.ieeecs.org
... Many applications will require a **Web** process created from composing several **Web services**. In the intermediate term, we can create enterprise-scale **Web** processes (or **service** compositions) by adopting workflow management technology. ...
Cited by 316 - Related articles - All 21 versions

### Design methodology for **web services** and **business** processes
M Papazoglou, J Yang - Technologies for E-Services, 2002 - Springer
... component implementations for ser- vices may include database functionality or **legacy** software in ... Providers, who create **services** for free, would normally distribute their functionality with a simple ...
Authorisation can usually take place for each operation within the **web service**. ...
Cited by 92 - Related articles - BL Direct - All 9 versions

### [PDF] Analysis on **service** level agreement of **web services**
L Jin, V Machiraju, A Sahai - HP June, 2002 - Citeseer
... Businesses create **web services** by exposing specific **business** functions through Internet protocols

and standards. **...** logic – how each operation is executed by invoking functionality on **legacy** applications **...** When a **web service** is implemented by composing other **web services**, the **...**
Cited by 90 - Related articles - View as HTML - All 12 versions

### [PDF] Enterprise **services**
P Fremantle, S Weerawarana, R Khalaf - Communications of the ACM, 2002 - vingus.com
**...** Conclusion We have described an architecture that builds upon the **Web services** proposals in a standard and exten- sible way. **...** the **services**-oriented vision offers many benefits to enterprises, and the creation of a class of enterprise **services** allows us to create ser- vices that **...**
Cited by 152 - Related articles - BL Direct - All 14 versions

### [PDF] Putting the enterprise into the enterprise **system**
TH Davenport - Harvard **business** review, 1998 - yildiz.edu.tr
**...** Combining all units' customer- **service** departments gave customers one contact point. CREATE COMPETITIVE ADVANTAGE WITH YOUR ENTERPRISE **SYSTEM**. **...** Each of these so-called **legacy systems** may provide invaluable support for a particular **business** activity. **...**
Cited by 2147 - Related articles - BL Direct - All 26 versions

✉ Create email alert New!

Gooooooooogle ▶
Result Page:   1 2 3 4 5 6 7 8 9 10   **Next**

generate web service legacy busine | Search

Go to Google Home - About Google - About Google Scholar

©2010 Google

Google scholar    | web services "client tier" |  [ Search ]

◉ Search only in Engineering, Computer Science, and Mathematics.
○ Search in all subject areas.

**Scholar** ✉ New! | Articles excluding patents ▾ | [    ] - [2003] | include citations ▾ | Results **31**

[PDF] Architectures for **web** based applications
W Zhao, D Kearney, G Gioiosa - Fourth Australasian Workshop on ..., 2002 - Citeseer
... whole application in a master-slave relationship with its server- side counterpart (which may be
further tiered), which produces **services** to it ... of the first tier in the traditional application has been
"pushed" back to the server side in the **web**-based version. Thus the **client tier** is "thin ...
Cited by 18 - Related articles - View as HTML - All 2 versions

[PDF] An object infrastructure for Internet middleware
C McFall - IEEE Internet Computing, 1998 - cin.ufpe.br
... Relationships Security Time Trader Transactions Figure 3. CORBA provides a standard for
interoperability that currently includes many **services** required by object applications in virtually
every system environment. ... **Web** server HTML docs CGI ... **Client tier** Middle tier Resource tier ...
Cited by 24 - Related articles - View as HTML - All 7 versions

[CITATION] Future smart-organizations: a virtual tourism enterprise
H Afsarmanesh, LM Camarinha-Matos - **Web** Information Systems Engineering, ..., 2000
Cited by 19 - Related articles - All 5 versions

CQ: a personalized update monitoring toolkit
L Liu, C Pu, W Tang, D Buttler, J Biggs, T ... - ACM SIGMOD ..., 1998 - portal.acm.org
... Comparing with the pure pull (such as DBMSs, various **web** search engines) and pure ... The **client
tier** currently has four components: (1) The form manager that provides the CQ ... a confirmation
on their registration; (3) The client and system administra- tion **services** which provide ...
Cited by 48 - Related articles - BL Direct - All 10 versions

[CITATION] Embedded Internet technology in process control devices
JW Szymanski - 2000 IEEE International Workshop on Factory ..., 2000
Cited by 26 - Related articles - All 2 versions

[PDF] Reengineering to the **Web**: a reference architecture
U Zdun - the proceedings of the Sixth European Conference on ..., 2002 - Citeseer
... When pages have to be generated dynamically, as it is required in most interactive **web**
applications, the **Service** Abstraction Layer may serve for more purposes: it may be a Message
Redirector [10] for indirecting symbolic ... **Service** Abstraction Layer **Client Tier** COM Adapter ...
Cited by 14 - Related articles - View as HTML - All 11 versions

Development of a **web**-based system for engineering change management
GQ Huang, WY Yee, KL Mak - Robotics and Computer-Integrated ..., 2001 - Elsevier
... database. 3.2.4. ECM clients. The **client tier** includes a set of ECM clients. Strictly ... **web**
server. In theory, there can be an unlimited number of ECM clients that are able to use
the **services** provided by the ECM **web** server. For example ...
Cited by 49 - Related articles - BL Direct - All 5 versions

Active software replication through a three-tier approach

R Baldoni, C Marchetti, A Termini - 2002 - computer.org
... Software replication is commonly imple- mented using two-tiers (2T) as clients (**client-tier**) directly interact with a set of replicas (end-tier). If the **service** is stateless (ie, a result to a request only depends on the cur- rent request message content), improving **service** availabil- ity ...
Cited by 44 - Related articles - BL Direct - All 14 versions

## An industry foundation classes **Web**-based collaborative construction computer environment: WISPER

I Faraj, M Alshawi, G Aouad, T Child, J ... - Automation in ..., 2000 - Elsevier
... 3.3. **Web**/application servers. Using **Web** ... 4.1.2.1.3. T3: Develop a **web** based interface for the above. This will involve creating a **web** page containing the links needed to access the server application developed in task one. 4.1.2.1 ...
Cited by 49 - Related articles - All 5 versions

## [PDF] WINK: a **Web**-based system for collaborative project management in virtual enterprises

S Bergamaschi, G Gelati, F Guerra, M Vincini - Proc. WISE, 2003 - dbgroup.ing.unimo.it
... In particular, the **client tier** supports operations such as alert firing, activity scheduling, and project planning structures, ..., providing a ... a multi-agent data integration component, which supports information sharing and querying, and SOAP enabled **web-services**, which ensure ...
Cited by 8 - Related articles - View as HTML - All 10 versions

⊠ Create email alert New!

◄ Goooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12 13    **Next**

| web services "client tier" | Search |

Go to Google Home - About Google - About Google Scholar

©2010 Google

Google scholar

| generate web service business | Search |

⦿ Search only in Engineering, Computer Science, and Mathematics.

○ Search in all subject areas.

**Scholar** ☒ New! | Articles excluding patents ▾ | | - |2003 | include citations ▾ |Results **1** -

[PDF] **Service**-oriented computing
MP Papazoglou, D Georgakopoulos - Communications of the ACM, 2003 - infolab.uvt.nl
... **Service** aggregators may use the **Business** Process Execution Language for **Web Services**
(BPEL4WS) to create new **Web services** by defining corresponding compositions of the interfaces
and COMMUNICATIONS OF THE ACM October 2003/Vol. 46, No. 10 27 ...
Cited by 1052 - Related articles - View as HTML - All 25 versions

[CITATION] Unraveling the **Web services web**: an introduction to SOAP, WSDL, andUDDI
F Curbera, M Duftler, R Khalaf, W Nagy, N Mukhi, S ... - IEEE Internet computing, 2002
Cited by 821 - Related articles - BL Direct - All 35 versions

[PDF] Semi-automatic composition of **web services** using semantic descriptions
E Sirin, J Hendler, B Parsia - 2003 - Citeseer
... There are several different industry efforts to create a standards for **web** ser- vice ... provides a
language for the formal specification of **business** processes and **business** interaction protocols. ...
of WSDL to define a process that provides and consumes multiple **Web Service** interfaces ...
Cited by 362 - Related articles - View as HTML - All 15 versions

**Web services** and **business** process management
F Leymann, D Roller, MT Schmidt - IBM systems Journal, 2002 - portal.acm.org
... The different activities in the ffow model consume information and also **generate** information. ... to
the Check Customer activity, which might use it to invoke a **Web service** that checks ... between
activities together with the information provided by the initiator of the **business** process is ...
Cited by 365 - Related articles - BL Direct - All 16 versions

Composing **web services** on the semantic **web**
B Medjahed, A Bouguettaya, AK Elmagarmid - The VLDB Journal, 2003 - Springer
... Automatic generation of composite **services**: We pro- pose a technique to **generate** composite
**service** descrip- tions while ... For each **Web service**, we also associate a purpose and category.
The purpose describes the **business** functionalities offered by the **service** operations. ...
Cited by 367 - Related articles - All 28 versions

[CITATION] **Business** process execution language for **web services**, version 1.1
T Andrews, F Curbera, H Dholakia, Y Goland, J Klein, F ... - ... , International **Business** ..., 2003
Cited by 873 - Related articles

[PDF] **Web services** orchestration and choreography
C Peltz - Computer, 2003 - bbs.w3china.org
... Combining **Web services** to create higher level, cross-organizational **business** processes requires
standards to model the interactions. Several standards are working their way through industry
channels and into vendor products. Chris Peltz Hewlett-Packard Company Page 2. ...
Cited by 599 - Related articles - View as HTML - BL Direct - All 8 versions

Don't go with the flow: **Web services** composition standards exposed

WMP Van der Aalst - IEEE Intelligent systems, 2003 - doi.ieeecs.org
... rather than create new ones. I thank Arthur ter Hofstede, Bartek Kiepuszewski, Marlon Dumas,
and Petia Wohed for contributing to the results mentioned in this essay. References. [1A] F.
Curbera, et al., **Business** Process Execution Language for **Web Services** (Version 1.0), IBM ...
Cited by 316 - Related articles - All 21 versions

### [PDF] **Web services** conceptual architecture (WSCA 1.0)

H Kreger... - IBM Software Group, 2001 - csd.uoc.gr
... The WSDL document can be complemented by other **service** description documents to
describe these higher level aspects of the **Web service**. For example, **business** context is
described using UDDI data structures in addition to the WSDL document. ...
Cited by 272 - Related articles - View as HTML - All 25 versions

### [CITATION] Semantic **web services**

SA McIlraith, TCH Zeng - IEEE Intelligent Systems, 2001
Cited by 1386 - Related articles - BL Direct - All 70 versions

✉ Create email alert New!

Gooooooooooogle ▶

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

| generate web service business | Search |

Go to Google Home - About Google - About Google Scholar